

Details of Survey

Weather - hazy sunshine, little wind, hot and humid

Abbreviations: d - dominant, a - abundant, f - frequent, o - occasional, r - rare.

l - local, v - very. * only on disturbed ground.

Part One - Flora

Mosses (4 spp. identified)

<i>Drepanocladus uncinatus</i>	Sickle-leaved Hook-Moss	o-lf
<i>Polytrichum commune</i>	Common Haircap	lf
<i>Rhytidiadelphus squarrosus</i>	Springy Turf-Moss	o-lf
<i>Sphagnum denticulatum</i>	Cow-horn Bog-Moss	o-lf

Dicotyledons (16 spp. identified)

<i>Ranunculus acris</i>	Meadow Buttercup	r.	*
<i>R. flammula</i>	Lesser Spearwort	r.	*
<i>Urtica dioica</i>	Nettle	o.	*
<i>Cerastium montanum</i>	Common Mouse-ear	r.	
<i>Sagina procumbens</i>	Procumbent Pearlwort	o.	*
<i>Cardamine flexuosa</i>	Wavy Bittercress	r.	*
<i>Sorbus aucuparia</i>	Rowan	r.	
<i>Vaccinium myrtillus</i>	Bilberry	lf	
<i>Empetrum nigrum</i>	Crowberry	vlf	
<i>Trifolium repens</i>	White Clover	vlf	*
<i>Epilobium palustre</i>	Marsh Willowherb (2)	r.	*
<i>Prunella vulgaris</i>	Self-Heal	o.	*

<i>Galium saxatile</i>	Heath Bedstraw	o.	
<i>Cirsium arvense</i>	Creeping Thistle	o-f	*
<i>C. palustre</i>	Marsh Thistle	lf.	
<i>C. vulgare</i>	Spear Thistle	o.	*

Monocotyledons (17 spp. identified)

<i>Juncus effusus</i>	Soft Rush	f-ld	
<i>J. squarrosus</i>	Heath Rush	f.	
<i>Eriophorum angustifolium</i>	Common Cotton-Sedge	lf	
<i>E. vaginatum</i>	Harestail Cotton-Sedge	lf	
<i>Festuca ovina</i>	Sheep's Fescue	f-a.	
<i>F. rubra</i>	Red Fescue	r.	*
<i>Lolium perenne</i>	Perennial Rye-Grass	r.	*
<i>Poa annua</i>	Annual Meadow-Grass	r	*
<i>P. pratensis</i>	Smooth Meadow-Grass	o-vlf	
<i>Cynosurus cristatus</i>	Crested Dogstail	o.	*
<i>Anthoxanthum odoratum</i>	Sweet Vernal-Grass	lf.	
<i>Deschampsia cespitosa</i>	Tufted Hair-Grass	vlf	
<i>D. flexuosa</i>	Wavy Hair-Grass	f-a	
<i>Agrostis canina</i> subsp. <i>canina</i>	Velvet Bent	vlf	
<i>A. capillaris</i>	Common Bent	f-a	
<i>Molinia caerulea</i>	Purple Moor-Grass	o-ld	
<i>Nardus stricta</i>	Mat Grass	f-a	

Fungi and Lichens

<i>Panaeolus semiovatus</i>	Egghead Mottlegill	o.	
<i>Rhizocarpon reductum</i> (<i>obscuratum</i>)		o.	

Abbreviations for Fauna: n - numerous, c - approximately, m - male, f - female,
? - identification uncertain. * does not belong to habitat.

Birds

<i>Columba palumbus</i>	Woodpigeon	4. *
<i>Alauda arvensis</i>	Skylark	common
<i>Anthus pratensis</i>	Meadow Pipit	common
<i>Montacilla alba</i> subsp. <i>yarrellii</i>	Pied Wagtail	1m.
<i>Corvus corone</i>	Carrion Crow	3.

Insects

<i>Aeshna juncea</i>	Common Hawker (dragonfly)	1m.
<i>Omocestrus viridulus</i>	Common Green Grasshopper	n.
<i>Maniola jurtina</i>	Meadow Brown (butterfly)	c. 20.
<i>Coenonymphus pamphilus</i>	Small Heath (butterfly)	n.
<i>Syrphus ribesii</i>	A hoverfly	?
<i>Bombus terrestris</i>	Buff-tailed Bumblebee	c. 20
<i>Vespula vulgaris</i>	Common Wasp	nest.

Note - micromoths were abundant but these can only be identified by specialists.
